ELSEVIER

Volume 489, Numbers 1–2, 8 March 1995

Journal of Organometallic Chemistry

Contents

Regular Papers

Conjugative effects in $W(CO)_5$ complexed phosphirane rings illustrated by substituent effects on ^{31}P NMR chemical shifts
J.-T. Hung and K. Lammertsma (Birmingham, AL, USA) 1

Siloxanes from the hydrolysis of isopropyltrimethoxysilane
J.K. Crandall and C. Morel-Fourrier (Bloomington, IN, USA) 5

Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties
M.-C. Fang, A. Watanabe and M. Matsuda (Sendai, Japan) 15

Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes
J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang (Kyung-Buk, South Korea). 23

Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl(tris(imidazol-1-yl)methylisocyanid)chrom
S. Ahn, W. Sperber und W.P. Fehlhammer (Berlin, Deutschland) 27

Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes
M. Eckert-Maksić, M. Golić and L. Paša-Tolić (Zagreb, Republic of Croatia) 35

Organoruthenaborane chemistry. Part 10. Preparation, molecular structure, and nuclear magnetic resonance properties of $[6,9\text{-}(\eta^6\text{-pcym})_2\text{-}nido\text{-}6,9\text{-}Ru_2B_8H_{12}]$
M. Bown and J.M. Waters (Palmerston North, New Zealand) 43

Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen
H. Feulner, N. Metzler und H. Nöth (München, Deutschland) 51

The synthesis, characterizations and structures of Group 4 metal–chromium complexes bridged by an $OC_6H_4CH_3$ group
T.-Y. Huang, C.-T. Chen and H.-M. Gau (Taichung, Taiwan) 63

Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study
K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara (Higashi-Hiroshima, Japan) 71

Synthese und Reaktionsverhalten Chloro-funktionalisierter Alkinyl–Phosphane; stufenweise Darstellung von σ^3,λ^4-Phosphandiyl-Komplexen mit einer Phosphor–Cobalt- bzw. Phosphor–Molybdän-Doppelbindung
H. Lang, M. Leise und A. Schmitzer (Heidelberg, Germany) 77

Ruthenium complex-catalyzed novel transformation of alkyl formates
T. Kondo, S. Kajiya (Kyoto, Japan), S. Tantayanon (Bangkok, Thailand) and Y. Watanabe (Kyoto, Japan) 83

Rhodium complexes with diimines derived from glyoxal: crystal structure of [Rh(SnCl$_3$)(NBD)(GCH)] (NBD = norbornadiene; GCH = glyoxal bis(cyclohexylimine)
M. Bikrani, M.A. Garralda, L. Ibarlucea (San Sebastián, Spain) and E. Pinilla (Madrid, Spain) 93

Preparation of carbonyl phosphine rhodium complexes with dithiolate bridges. Application as catalyst precursors in the hydroformylation of 1-hexene
A. Aaliti, A.M. Masdeu, A. Ruiz and C. Claver (Tarragona, Spain) 101

New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of [Rh(CO)$_2$(BBOM)] (HBBOM = bis(2-benzoxazolyl)methane)
F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin (Milano, Italy) 107

Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex $Cp(CO)_2W(\mu\text{-}PPh_2)W(CO)_5$
S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee (Taipei, Taiwan) 113

Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core
H. Diller, H. Keck, H. Wunderlich and W. Kuchen (Düsseldorf, Germany) 123

η^3-Allyl molybdenum dithiophosphate and dithiophosphinate complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of $[Mo_2(\eta^3\text{-}C_3H_5)_2(CO)_4\{S_2P(OEt)_2\}_2(\mu\text{-}NH_2NH_2)]$
G. Barrado, D. Miguel, V. Riera and S. García-Granda (Oviedo, Spain) 129

Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides
J.M. Paratian, E. Labbé, S. Sibille and J. Périchon (Thiais, France) 137

Binuclear complexes of La(III) and Eu(II) with the bridging naphthalene dianion. Synthesis and X-ray crystallographic analysis of $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][LaI_2(THF)_3]_2$ and $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][EuI(DME)_2]_2$
I.L. Fedushkin, M.N. Bochkarev (Nizhny Novgorod, Russia), H. Schumann, L. Esser and G. Kociok-Köhn (Berlin, Deutschland) 145

Synthetic and structural studies of methyl- and phenylpalladium(II) complexes of poly(pyrazol-1-yl)borates, and the η^3-allylpalladium(II) complex $Pd(\eta^3\text{-}C_3H_5)[(pz)_3BH\text{-}N,N']$
A.J. Canty, H. Jin, A.S. Roberts, P.R. Traill (Hobart, Australia), B.W. Skelton and A.H. White (Nedlands, Australia) 153

X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose
P.J. Cox (Aberdeen, UK), R.A. Howie (Old Aberdeen, UK), O.A. Melvin (Aberdeen, UK) and J.L. Wardell (Old Aberdeen, UK). . . . 161

Polymeric organosilicon systems. XXIII. Synthesis and photochemical and thermal properties of (*E*)- and (*Z*)-poly[(disilanylene)ethenylenes]
J. Ohshita, D. Kanaya, T. Watanabe and M. Ishikawa (Higashi-Hiroshima, Japan) 165
Solution structure of a key intermediate used in asymmetric alkylation reactions. $^1H,^1H$-NOESY and $^6Li,^1H$-HOESY studies of mixtures of a chiral lithium amide and n-butyllithium
G. Hilmersson and Ö. Davidsson (Göteborg, Sweden) 175
Preparation of $(^iPrMe_2Si)_3CH$ and its use as a source of the bulky ligand $(^iPrMe_2Si)_3C$
A.I. Almansour (Riyadh, Saudi Arabia) and C. Eaborn (Brighton, UK) 181
Funktionalisierte Octa-(propylsilsesquioxane)$(3\text{-}XC_3H_6)_8(Si_8O_{12})$ Modellverbindungen für oberflächenmodifizierte Kieselgele
U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann (Paderborn, Deutschland) 185
Functionally substituted derivatives of (η^5-cyclopentadienyl)triisopropoxytitanium and (η^5-cyclopentadienyl)trichlorotitanium
S. Barry, A. Kucht, H. Kucht and M.D. Rausch (Amherst, MA, USA) 195
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes
B. Wrackmeyer, B. Schwarze and W. Milius (Bayreuth, Germany) 201
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) $[(CO)_4W(\mu\text{-}Cl)_3W(SnCl_3)(CO)_3]$
T. Szymańska-Buzar and T. Głowiak (Wrocław, Poland) 207
Ring-opening silylformylation of oxetanes catalyzed by $[RhCl(CO)_2]_2$-amine
Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai (Osaka, Japan) 215

Preliminary Communications

An intramolecularly base-stabilized monomeric organoaluminum dihydride
L. Contreras, A.H. Cowley, F.P. Gabbaï, R.A. Jones (Austin, TX, USA), C.J. Carrano and M.R. Bond (San Marcos, TX, USA) C1
Monoindenyl halides of zirconium and hafnium. The preparation of $[(\eta^5\text{-}C_9H_7)ZrCl_3]_n$ and $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ and the crystal structure of $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$
S.L. Shaw, R.J. Morris (Muncie, IN, USA) and J.C. Huffman (Bloomington, IN, USA) C4
Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)-titanium(IV)
J.-P. Bégué and M.H. Rock (Châtenay-Malabry, France) C7
ArF laser photolysis of tetraethyl- and tetravinyl-silane
J. Pola, J.P. Parsons and R. Taylor (Brighton, UK) C9
Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene
M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono (Tokyo, Japan) C12
Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen
H. Lang, S. Blau, G. Rheinwald und G. Wildermuth (Heidelberg, Deutschland) C17
Stereospecific protonation of coordinated alkynes
R.A. Henderson, D.J. Lowe and P. Salisbury (Brighton, UK) C22
The effect of α-chloro substitution on the reactivity of β-functional silanes
S. Bratt and A.W.P. Jarvie (Birmingham, UK) C26
New Fe-Mo and Fe-W fulvalene-bridged heterobimetallic complexes containing the ferrocenyl unit. Crystal structure of $[(\eta\text{-}C_5H_5)Fe(\mu\text{-}\eta:\eta\text{-}C_5H_4Ind)Mo(CO)_2(\eta\text{-}C_3H_5)]$ (Ind = 1-indenyl)
S. Wan, M.J. Begley and P. Mountford (Nottingham, UK) C28
Synthesis and reactivity of the phosphido-bridged complex $[Cp_2Ta(\mu\text{-}CO)(\mu\text{-}PMe_2)Cr(CO)_4]$
G. Boni, P. Sauvageot and C. Moïse (Dijon, France) C32
Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry
D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao (Edmonton, Canada) C35
Synthesis and characterization of (4S)-1-chloroalkylsilatrane-4-carboxylic acids; crystal structures of (3R,4S)-1-chloromethyl-3-methylsilatrane-4-carboxylic acid and (3R,4S)-1-(3-chloropropyl)-3-methylsilatrane-4-carboxylic acid
Z.-R. Lu, R.-X. Zhuo, L.-R. Shen, X.-D. Zhang and L.-F. Shen (Wuhan, People's Republic of China) C38
Fine-tuning electrophilicity of cationic tricarbonyliron complexes
A.V. Malkov and G.R. Stephenson (Norwich, UK) C44
Novel synthesis of alkylidynetrinickel clusters
S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski (Warsaw, Poland) C48
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine
R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni (Pisa, Italy) C50
A novel intramolecular cyclization reaction. Synthesis and properties of 5- and 8-membered germalactones
Y. Guan, J. Zou and Z. Zhu (Beijing, People's Republic of China) C52
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLIII. Indenyltrioxorhenium(VII): Organometalloxid mit dynamischer Struktur
W.A. Herrmann, F.E. Kühn (Garching, Germany) und C.C. Romão (Oeiras, Portugal) C56
Synthesis and structure of bis(pentamethylcyclopentadienyl)selenium
C.M. Bates, C.P. Morley (Swansea, UK), M.B. Hursthouse and K.M.A. Malik (Cardiff, UK) C60
Syntheses and X-ray crystal structures of neutral *trans*-bis(diamino-carbene)platinum(II) complexes
S.-W. Zhang, T. Kaharu, N. Pirio, R. Ishii, M. Uno and S. Takahashi (Osaka, Japan) C62
The structure of $[Co_2(CO)_5(\mu_2,\eta^4\text{-}CPhCHCHCPh)]$ a cobalt analogue of the 'ferroles'
I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella (Barcelona, Spain) C65
Arene ruthenium(II) complexes coordinated by phosphino and two phenoxide groups in tris(2,6-dimethoxyphenyl)phosphine: crystal structure of $(\eta^6\text{-}1,2,3,4\text{-}Me_4C_6H_2)Ru[P\{2,6\text{-}(MeO)_2C_6H_3\}\{2\text{-}O\text{-}6\text{-}MeOC_6H_3\}_2]$
Y. Yamamoto, R. Sato, M. Ohshima, F. Matsuo and C. Sudoh (Chiba, Japan) C68

Synthesis and structures of the mononuclear iron(II) dialkyl FeR_2 and the iron(II) dithiolate complex $[Fe(SAr)_2(RH)]$ [R = $C(SiMe_3)_2C_5H_4N$-2; Ar = 2,4,6-$^tBu_3C_6H_2$]
H.K. Lee, B.-S. Luo, T.C.W. Mak and W.-P. Leung (Shatin, Hong Kong) C71
Anomalous deprotonation of tricarbonyl(η^5-1-arylcyclohexadienyl)iron complexes
A.V. Malkov and G.R. Stephenson (Norwich, UK) C74
Synthesis and characterization of triosmium-dipalladium mixed-metal cluster. Crystal structure of $[(bipy)Pd)_2Os_3(CO)_{12}]$
S. Chan and W.-T. Wong (Pokfulam Road, Hong Kong) C78
Synthesis of sandwich and half-sandwich complexes of Ti, Zr and Hf containing η^5-$C_5H_4SiMe_2Cl$ ligand. Molecular structure of $[TiCl_2(\mu\text{-}OSiMe_2\text{-}\eta^5\text{-}C_5H_4)]_2$
A.V. Churakov, D.A. Lemenovskii and L.G. Kuz'mina (Moscow, Russia) C81
Reaktionen von Komplexliganden. LXIII. Diethylzink-induzierte Dimerisierung von Alkinylcarbenliganden: Regioselektive Synthese eines Cyclopentenyliden-Komplexes
K.H. Dötz, C. Christoffers (Bonn, Deutschland) und P. Knochel (Marburg, Deutschland) C84
$[(C_5H_5)Fe(C_5H_4CH_2NMe_2)]$ as a promoter for the synthesis of the 1,2-disubstituted ferrocenyl aldehydes $[(C_5H_5)Fe(1,2\text{-}C_5H_3(CHO)(CH_2NMe_2)]$ and $[(C_5H_5)Fe\{1,2\text{-}C_5H_3(CHO)CH_2NMe(CH_2)_2OCH{=}CH_2\}]$
B. Delavaux-Nicot, Y. Guari and R. Mathieu (Toulouse, France) C87

Book Reviews C90

Conference Calendar C96

Author Index C98

Subject Index C100

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.